

## STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: HL-60

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

|          | Genotype  | analysis resu | Its of STR and    | Amelogenin l                                       | oci in cells 🔍 |      |
|----------|---|---------------|-------------------|--|----------------|------|
| STR Loci | STR profile for Sample cell<br>Cell name: HL-60 |               |                   | STR profile for Cell Bank cell<br>Cell name: HL-60 |                |      |
|          |   |               |                   |  |                |      |
|          | D5S818  | 12            | 12                | BIC  | 12             | 12   |
| D13S317  | 8   | 11            | $\mathbf{\Theta}$ | 8  | 11             |      |
| D7S820   | 11  | 12            |                   | 11   | 12             | BIGE |
| D16S539  | 11  | 11            |                   | 11   | 11             |      |
| VWA      | 16  | 16            |                   | 16   | 16             |      |
| TH01     | GF 7  | 8             |                   | 7  | 8              |      |
| AMEL     | Х   | Х             |                   | х  | Х              |      |
| ТРОХ     | 8   | 11            |                   | 8  | 11             |      |
| CSF1PO   | 13  | 14            | - IBIC            | 13   | 14             |      |

Note: The above figure shows the comparison results of nine genotype loci for detecting cells and cells from the cell bank.

4. Conclusion: The STR results of HL-60 cells are consistent with the genotypes of HL-60 cell lines in **DSMZ** database, the cell ID corresponded to **3**, and the STR results completely matched. In the test, No multi allele was found in this cell line.

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

## 5. Attached Image

