

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: Hs 578T

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Conotyna		lts of STD and	Amologonin I			
			STR profile for Cell Bank cell				
STR Loci	Cell name: STR24103104			Cell name: Hs-578T			
	Allele1 Allele2 Allele3			Allele1 Allele2 Allele3			
D5S818	11	11	BIC	11	11		
D13S317	11	11		11	11		
D7S820	10	10		10	10	BIGE	
D16S539	9	12		9	12		
VWA	17	17		17	17		
TH01	9	9.3		9	9.3		
AMEL	Х	Х		х	Х		
ТРОХ	8	8		8	8		
CSF1PO	13	13	UBIC	13	13		
D12S391	19	19	3			E	
FGA	23	24				BIGE	
D2S1338	17	26			6		
D21S11	29	32.2					
D18S51	16	16					
D8S1179	13	13					
D3S1358	16	17		ENE			
D6S1043	12	12	BIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	GE-13	14			0	
D19S433	14	15				
PENTAD	8	13		ENE		
D1S1656	11	16	JBIC			
						EL

Conclusion: The STR results of <u>Hs 578T</u> cells are consistent with the genotypes of <u>Hs</u>
<u>578T</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>HPACC</u>, and the STR results
<u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.



O UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

