

STR Authentication Report For Cell Line

O) UBIGENE

UBIGEN

1. Cell Name: NCI-H23-Y01-K

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

detected on the ABI 3730XL Genetic Analyzer.

3. Sample gene genotype analysis result:

Genotype analysis results of STR and Amelogenin loci in cells						
STR Loci	STR profile for Sample cell Cell name: NCI-H23-Y01-K			STR profile for Cell Bank cell Cell name: NCI-H23 [H23]		
	D5S818	12	13	BIG	12	13
D13S317	12	12	\mathbf{e}	12	12	-1-
D7S820	9	10		9	10	BIGE
D16S539	11	11		11	11	
VWA	16	17		16	17	
TH01	6 6	6		6	6	
AMEL	Х	Х		Х	Х	
ΤΡΟΧ	8	9		8	9	
CSF1PO	10	10	UBIC	10	10	

Note: The above figure shows the comparison results of nine genotype loci for detecting cells and cells from the cell bank.

Conclusion: The STR results of <u>NCI-H23</u> cells are consistent with the genotypes of <u>NCI-H23</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>CRL-5800</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

