

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: Py230

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 20- STR amplification protocol, the STR loci and gender gene Amelogenin were

| | Genoty | pe analysis | results of S | FR and Amelo | ogenin loci | in cells | |
|----------|-------------------------------------------------------|------------------|--------------|--------------|----------------------------------------------------|------------|------|
| STR Loci | STR profile for Sample cell Cell name: py230-Y01-K | | | | STR profile for Cell Bank cell Cell name: Py230 | | |
| | | | | | | | |
| | 4-2 | 238.11 【20.3】 | | | JBIGE' | 20.3 | |
| 5-5 | 347.93 【17】 | | | | 17.0 | | SIGE |
| 6-4 | 300.26 【18】 | | | | 18.0 | \bigcirc | NP. |
| 6-7 | 346.67 【15】 | | | | 15.0 | | |
| 9-2 | 233.7 【18】 | | | | 18.0 | | |
| 12-1 | 230.17 【17】 | | | GENE | 17.0 | | |
| 3-15 | 201.08 【22.3】 | | 6 | JBIO | 22.3 | | |
| 3-18 | 152.4 【16】 | | | | 16.0 | | BIGE |
| X-1 | 408.78 【27】 | | | | 27.0 | 0 | 00. |
| D4S2408 | I.C. | | | | | | |

Note: The cell lines were compared with the STR data of cell lines from ATCC, DSMZ, JCRB and RIKEN databases, the cell lines not included in the above cell banks could not be matched. D4S2408 and TH01 in the above sites is a human site, which is used to detect

whether the cell is contaminated by human sources.

Conclusion: This cell line is identified as a mouse cell line. The STR results of <u>Py230</u> cells are consistent with the genotypes of cell lines in <u>ATCC</u> database, the cell ID corresponded to , and the STR results <u>basically matched</u>. In the test,

No multiple alleles were found, no cross-contamination, no human contamination in this cell line.

O UBIGENE 1 T. +86 153 6067 3248 US Toll free: 855 777 3210 EU Toll free: 800 3272 9252 Korea Toll free: 001 800 3272 9252